

**Lombardo.**  
EVERYDAY LIGHT



**TEGOLO**







**Lombardo.**  
EVERYDAY LIGHT

# TEGOLO

## Installazione

Installation  
Installation

## Terra - Parete

Ground - Wall  
Sol - Mur

## Materiali

Materials  
Materiels

**Materiale Corpo: Acciaio e alluminio | Tipo di diffusore: Vetro serigrafato | Trattamento: Bordo mare**

Material: Steel and aluminium | Diffuser type: Serigraphed glass | Treatment: Sea treatment

Matériel du corps: Acier et aluminium | Type de diffuseur: Verre sérigraphié | Traitement: Bord de mer

## Alimentazione

Power supply  
Alimentation

## AC DIRECT

## Versioni

Versions  
Versions

## Taglio di fase

Phase cut  
Coupure de phase



**TEGOLO**



**TEGOLO  
U&D**



## COLOURS



**Inox micropallinato**  
Microbead-blasted stainless steel  
Acier inoxydable microbillé



**Bianco RAL 9010**  
White RAL 9010  
Blanc RAL 9010



**Grigio High Tech RAL 9006**  
Grey High Tech RAL 9006  
Gris High Tech RAL 9006



**Dark Grey RAL 7021**  
Dark Grey RAL 7021  
Gris Foncé RAL 7021




**Corten**  
Corten  
Corten

## Tegolo



IP 67 IK 10 20J xx9 50°C MAX 1/2 500 MAX CE UK CA	LED			COL.	CODE *
	W	LM	REAL LM		
	3	200	60	AC DIRECT	LL152010 <input type="checkbox"/>
					LL15201W <input type="checkbox"/>
					LL15201G <input type="checkbox"/>
					LL15201D <input type="checkbox"/>
					LL15201K <input type="checkbox"/>




\* Complete the CODE  LED COLOUR N | 4000K 3 | 3000K 2 | 2700K

## Tegolo U&D



IP 67 IK 10 20J xx9 50°C MAX 1/2 500 MAX CE UK CA	LED			COL.	CODE *
	W	LM	REAL LM		
	6	400	120	AC DIRECT	LL152020 <input type="checkbox"/>
					LL15202W <input type="checkbox"/>
					LL15202G <input type="checkbox"/>
					LL15202D <input type="checkbox"/>
					LL15202K <input type="checkbox"/>



\* Complete the CODE  LED COLOUR N | 4000K 3 | 3000K 2 | 2700K



## Armatura da incasso

### Armatura da incasso in termoplastico.


#### Recess box

Thermoplastic recess box.

#### Boîte d'encastrement

Armature à encastrer en matériau thermoplastique.

CoL.	Code
-	LB1070039




## Scatola incasso standard 502

### Recess Box 502

#### Armature à encastrer standard 502

CoL.	Code
-	LB1250001




## Bus DALI

### Varialuce universale comandabile con segnale DALI. Dimmerazione a Taglio di Fase discendente (a fine fase) IGBT Trailing-Edge.

CoL.	Code
-	LB1070110

#### Bus DALI

Universal dimmer controlled by DALI signal. Descending Phase Cutting dimming (at the end of the phase) IGBT Trailing-Edge.



#### Bus DALI

Variateur universel commandé par un signal DALI. Phase descendante Gradation par coupure (à la fin de la phase) IGBT Trailing-Edge.

## Morsettiera coassiale

### Morsettiera coassiale a 3 poli, IP68, per cavo ø 7/12 mm.


#### Coaxial Terminal block

Coaxial 3-pole terminal block, IP68, for cable diameter 7/12 mm.

#### Bornier coaxial

Bornier coaxial à 3 pôles, IP68, pour câble diam. 7/12 mm.

CoL.	Code
-	LB11293



## Morsettiera lineare a 3 vie

### Morsettiera lineare a 3 vie a 3 poli, IP68, per cavo ø 7/13,5 mm.


#### 3 way linear terminal block

3-way 3-pole linear terminal block, IP68, for cable Ø 7/13,5 mm.

#### Bornier linéaire 3 voies

Bornier linéaire 3 voies à 3 pôles, IP68, pour câble diam. 7/13,5 mm.

CoL.	Code
-	LB11294






TEGOLO



TEGOLO US&D










## FEATURES




**Colori disponibili.**  
Available colours.  
Couleurs disponibles.



**Montaggio.**  
Installation.  
Installation.

**Installabile su scatola standard 502.**  
Installation on recess box 502.  
Pour installation sur boîte standard 502.





# Lombardo.

EVERYDAY LIGHT

Via Pizzigoni 3  
Villongo (BG) • 24060 • Italy  
T +39 035 939 411  
info@lombardo.it

**lombardo.**it